

CATALYTIC COMBUSTOR CROSS REFERENCE

| Manufacturer & Model | Size of Catalyst (Each) | Order 1 Unit Unless Noted | Item # |
|---|--------------------------------------|---------------------------|--------|
| AMERICAN EAGLE | | | |
| Early Models (Pre 1991) | 5.66" round x 3" with metal band | | 3420 |
| Later Models (1991-Up) | 5.66" round x 2" with metal band | | 3408 |
| AMERICAN ROAD | | | |
| All Models | 5.66" round x 2" with metal band | | 3408 |
| APPALACHIAN | | | |
| Gemini GXL's, Same As 4N1 XL-Models (Models Before 1989) | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| (Models After 1989) | 2.5" x 5.563" x 3" with a notch | 2 Required | 3450 |
| Note: Gemini GXLB Please check size. Some 32-BW models take only 2 pieces | | | |
| | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| The following unit requires 4 catalyts (2 each of the following) | | | |
| Gemini GXLB's, Same as 32-BW (Models Before 1989) | 1.875" x 6.875" x 1" | 2 Required AND | 3448 |
| | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| (Models After 1989) | 2.5" x 6.875" x 3" with a notch | 2 Required | 3452 |
| 4N1-XL Trailmaster | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| 4N1-XLII Trailmaster | 2.5" x 5.563" x 3" with a notch | 2 Required | 3450 |
| The following unit requires 4 catalyts (2 each of the following) | | | |
| 36 BW Model 1988 & Before | 1.875" x 6.875" x 1" | 2 Required AND | 3448 |
| | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| 36 BW Model After 1988 | 2.5" x 6.875" x 3" with a notch | 2 Required | 3452 |
| 360CR/Cherokee Models | 2.5" x 6.875" x 3" with a notch | 2 Required | 3452 |
| The following unit requires 4 catalyts (2 each of the following) | | | |
| 52 WXL Model | 1.875" x 6.875" x 1" | 2 Required | 3448 |
| | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| ARROW (HEATILATOR) | | | |
| AST-1 Model | 5.66" round x 1.5" | 2 Required | 3502 |
| AST-2 Model | 3.5" x 5" x 2" | 2 Required | 3480 |
| XLB Model | 1.875" x 6.875" x 2" | | 3400 |
| 18/1800 Models | 5.66" round x 2" | 2 Required | 3406 |
| 88/125 Models | 3.5" x 7" x 2" | 2 Required | 3438 |
| 22/2200B Models | 7" round x 2" with metal band | 2 Required | 3436 |
| 24/2420C Models | 3.5" x 5" x 2" | 2 Required | 3480 |
| The following unit requires 3 catalyts total. | | | |
| 25/2500 Models | 1.875" x 6" x 3" | 2 Required AND | 3426 |
| | 1.875" x 2.75" x 3" | 1 Required | 3428 |
| 2590 Models | 5.875" x 6.875" x 2" with metal band | | 3506 |
| 55/5500 Models | 1.875" x 6" x 3" | 3 Required | 3426 |
| ASHLEY (MARTIN) | | | |
| AF124, AFS | 1.875" x 6.875" x 2" with metal band | | 3402 |
| CAHF2 Model, CC60, CKW Model | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| AHS2/AHS2B Sahara Models | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| ASPEN | | | |
| Catalytic Wood | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| ATLANTA | | | |
| Huntsman | 5.66" round x 3" with metal band | | 3414 |
| BLAZE KING | | | |
| BKI | 7" round x 2" with metal band | | 3436 |
| Challenge II | 3.5" x 12" x 2" with metal band | | 3442 |
| KEJ-1100 Model | 7" round x 2" with metal band | | 3436 |
| KEJ-1101 Model | 7" x 8.65" x 2" oval with metal band | | 3510 |
| KEJ-1300 Model | 7" round x 2" with metal band | | 3436 |
| King Model | 7" x 8.65" x 2" oval with metal band | | 3510 |
| Royal 2100 Model | 3.5" x 12" x 2" with metal band | | 3442 |
| 2200 Model | 3.5" x 5" x 2" | 2 Required | 3480 |
| Early Models (Before 1991) | 5.66" round x 3" with metal band | | 3414 |
| Late Models (After 1991) | 7" round x 2" with metal band | | 3436 |



CATALYTIC COMBUSTOR CROSS REFERENCE

| Manufacturer & Model | Size of Catalyst (Each) | Order 1 Unit Unless Noted | Item # |
|---|---|------------------------------|--|
| BRUNCO Blazer | 5.66" round x 2" with metal band | | 3408 |
| BUCK CORP (MINPRO) 17 Carolina, 20 Model, 20 Z3 41 Model, 50 Model, 70 Model 71 Freestanding 80 Model 91 Model 26000-C Model 27000-C/CR Models Big Buck Little Buck, Regular Buck | 3.875" x 6.875" x 2" with metal band 3.875" x 6.875" x 2" with metal band 5.875" x 6.875" x 2" with metal band 5.875" x 6.875" x 2" with metal band 6" x 10.625" x 2" with metal band 1.875" x 6.875" x 2" 1.875" x 6.875" x 2" 1.875" x 6.875" x 2" with metal band 1.875" x 6.875" x 2" | 2 Required 2 Required | 3508 3508 3506 3506 3458 3400 3400 3402 3400 |
| The Following Unit Requires 3 Catalysts Total. Smoke Genie | 1.875" x 6.875" x 2" 1.875" x 3.25" x 2" | 2 Required AND 1 Required | 3400 3498 |
| The Following Unit Requires 2 Catalysts (1 Each Of The Following) 28000-C | 1.875" x 6.875" x 2" 1.875" x 3.25" x 2" | 1 Required AND 1 Required | 3400 3498 |
| BUCKNER ENTERPRISES Dove I Model | 2" x 7" x 2" | 2 Required | 3496 |
| C&D DISTRIBUTORS Ultra Burn Retrofits | 5.66" round x 1.5" | | 3502 |
| CAROLINA STOVE Challenger II Model | 5.66" round x 2" with metal band | | 3408 |
| CHIPPEWA (ENERGY KING) 2000C Model 2500C Model EK145C Model, EK185C Model King Bay | 2.875" x 6.875" x 2" with metal band 2.875" x 6.875" x 2" with metal band 5.66" round x 2" with metal band 2.875" x 6.875" x 2" with metal band | 2 Required 2 Required | 3474 3474 3408 3474 |
| CITATION (SALVO) All Models | 2.25" x 6.875" x 3" | | 3490 |
| CLAYTON MFG. All Models 1992 & After All Models Before 1992 | 6" x 6" x 3" 5.66" round x 3" with metal band | | 3456 3420 |
| COLORADO All | 5.66" round x 2" with metal band | | 3408 |
| CONCORDE All | 5.66" round x 2" with metal band | | 3408 |
| CONSOLIDATED DUTCHWEST 224 Small, 2460, 2461, 2462 264 Large, 288 Extra Large, Andironack Early Federal/Airtight, Rocky Mountain, Seneca Sequoia Models Before 1990 Sequoia Models 1990 & After Federal Models Before 1992 Federal Models 1992 & After | 5.66" round x 2" with metal band 5.66" round x 2" with metal band 5.66" round x 1.5" with metal band 5.66" round x 2" with metal band 7" round x 2" with metal band 5.66" round x 2" with metal band 5.66" round x 1.5" with metal band 5.66" round x 2" with metal band | | 3408 3408 3504 3408 3436 3408 3504 3408 |
| COUNTRY COMFORT (See ORRVILLE) | | | |
| COUNTRY FLAME (MT VERNON) 1990 B/A, BBF, E-1, R-90, B-6, B-1 E1-6, W1, E-2, Olde R Model O-2, R-6, S-1, S-6, SBF-A | 6.96" x 10.6" x 2" with metal band 6.96" x 10.6" x 2" with metal band 7" round x 2" with metal band 7" round x 2" with metal band | | 3482 3482 3436 3436 |
| CRAFT STOVES (NATIONAL STEEL CRAFTERS) CB-4830 Model, CB-4426 Model Early Insert | 2.875" x 14" x 2" with metal band 1.875" x 6.875" x 2" with metal band 2.54" x 13" x 2" with metal band | | 3488 3402 3422 |



CATALYTIC COMBUSTOR CROSS REFERENCE

| Manufacturer & Model | Size of Catalyst (Each) | Order 1 Unit Unless Noted | Item # |
|--|--------------------------------------|---------------------------|--------|
| DERCO (GRIZZLY) | | | |
| Achiever Model | 5.66" round x 2" with metal band | | 3408 |
| Early Models Before 1989 | 7" round x 2" with metal band | | 3436 |
| Grizzly | 7" round x 2" with metal band | | 3436 |
| DOMINION SIERRA | | | |
| 003 Model | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| 007 Model | 3.5" x 5" x 2" | 2 Required | 3480 |
| DOORWOOD | | | |
| Smokemaster | 5.66" round x 1.5" | | 3502 |
| DOVRE | | | |
| Heirloom 390, Horizon500cc | 5.66" round x 2" with metal band | | 3408 |
| All Models After 1991 | 5.66" round x 2" with metal band | | 3408 |
| EARTHSTOVE(PIONEER) | | | |
| 1000C | 5.66" round x 3" with metal band | | 3420 |
| 1002C | 2.5" x 15" x 2" with gasket | | 3430 |
| 1003C | 2.5" x 15" x 3" with gasket | | 3434 |
| 1005 | 2.5" x 15" x 3" with metal band | | 3432 |
| Bayview Models Before 1992 | 2.5" x 15" x 2" with gasket | | 3430 |
| Bayview Models 1992 & After | 2.5" x 15" x 3" with gasket | | 3434 |
| BV400C, BV4000C Before 1990 | 2.5" x 15" x 2" with gasket | | 3430 |
| BV400C, BV4000C | 2.5" x 15" x 3" with gasket | | 3434 |
| BV450C | 2.5" x 15" x 3" with metal band | | 3432 |
| Pioneer, | 3.5" x 5" x 2" | | 3480 |
| Traditions T100-SC | 3.5" x 5" x 2" | 2 Required | 3480 |
| TP-150 model | 2.5" x 15" x 3" with gasket | | 3434 |
| EFEL | | | |
| Symphony Model | 7" round x 2.5" with metal band | | 3466 |
| Harmony Model | 1.875" x 6.875" x 2.5" | 2 Required | 3468 |
| 3280 models 1990-1995 | 7" round x 2.5" with metal band | | 3466 |
| ELM | | | |
| 18 and 24 Models | 5.66" round x 3" with metal band | | 3420 |
| ELMIRA STOVES | | | |
| 1100 Insert | 2" x 7" x 2" | 2 Required | 3496 |
| 1100 Freestanding | 2.5" x 7.5" x 3" | 2 Required | 3492 |
| 1200 Stove | 2" x 5" x 2" | 4 Required | 3514 |
| 1400 | 2" x 5" x 2" | | 3514 |
| 1401 | 1.875" x 6.875" x 2" | | 3400 |
| 1600 Insert | 2" x 5" x 2" | 4 Required | 3514 |
| ELMWOOD(VERMONT IRON) | | | |
| All | 5.66" round x 3" with metal band | | 3414 |
| ENERGY HARVESTER | | | |
| All Cat Models | 5.66" round x 3" with metal band | | 3420 |
| ENERGY KING (CHIPPEWA) | | | |
| 2000C, 2500C, 2850C Silhouette Models | 2.875" x 6.875" x 2" with metal band | 2 Required | 3474 |
| EK145C & EK185C Models | 5.66" round x 2" with metal band | | 3408 |
| ENGLANDER | | | |
| 18PC, 22PIC & 24FC Before 1989 | 5.66" round x 2" with gasket | | 3410 |
| 28CC, 28IC & 28JC Before 1989 | 5.66" round x 2" with gasket | | 3410 |
| 18PC, 22PIC & 24FC 1989 to 1992 (continued) | 5.66" round x 2" with metal band | | 3408 |
| ENGLANDER | | | |
| 28CC, 28IC & 28JC 1989 to 1992 | 5.66" round x 2" with metal band | | 3408 |
| 18PC, 24AC/FC, 24IC & 24JC 1992 Up | 5.66" round x 3" with gasket | | 3416 |
| 24ICD | 5.66" round x 3" with metal band | | 3414 |
| EVICA | | | |
| All | 5.66" round x 2" with metal band | | 3408 |
| FPX (DK Metals) | | | |
| #2 Design/44 FRA Model | 3.5" x 7" x 2" | 2 Required | 3438 |
| 36F Model | 3.5" x 12" x 2" with metal band | | 3442 |
| 36FA Model | 3" x 7" x 3" | 2 Required | 3446 |



CATALYTIC COMBUSTOR CROSS REFERENCE

| Manufacturer & Model | Size of Catalyst (Each) | Order 1 Unit Unless Noted | Item # |
|--|--|--|--------------------------------------|
| GEORGETOWN WOODSTOVE All Catalytic Models | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| GRIZZLY (DERCO) Achiever Model Early Models Before 1989 | 5.66" round x 2" with metal band 7" round x 2" with metal band | | 3408 3436 |
| HARDY MFG CO. Early Models Pre 1995 H-7 / All Models After 1995 | 6" x 6" x 3" 3.5" x 6" x 2" | 4 Required 3 Required | 3456 3440 |
| HART FIREPLACE All | 5.66" round x 2" with metal band | | 3408 |
| HARMAN (VANSCO) Tremont TAC 260C,340C, &520C | 1.875" x 14" x 2" with metal band | | 3470 |
| HEATILATOR (ARROW) AST-1 Model AST-2 Model | 5.66" round x 1.5" 3.5" x 5" x 2" | 2 Required 2 Required | 3502 3480 |
| HEATILATOR (ARROW) (Continued) 18/1800 Models 22/2200B Models 24/2420C Models | 5.66" round x 2" 7" round x 2" with metal band 3.5" x 5" x 2" | 2 Required 2 Required 2 Required | 3406 3436 3480 |
| The following unit requires 3 catalysts total. 25/2500 Models | 1.875" x 6" x 3" 1.875" x 2.75" x 3" | 2 Required AND 1 Required | 3426 3428 |
| 2590 Models 55/5500 Models | 5.875" x 6.875" x 2" with metal band 1.875" x 6" x 3" | 3 Required | 3506 3426 |
| HEARTH HEAT Zero Clearance | 1.875" x 6.875" x 2" | 3 Required | 3400 |
| HEARTHSTONE (NHC) I, II Harvest | 5.66" round x 2" with metal band 3.625" x 9" x 2" with metal band and tab | | 3408 3484 |
| HEATPRO All except 210 210 | 3.625" x 9" x 2" with metal band and tab 3.625" x 12" x 2" with metal band and tab | | 3484 3486 |
| HEATING ENERGY 2000C Trailblazer | 1.875" x 6.875" x 2" with gasket | 3 Required | 3404 |
| HERITAGE All | 1.875" x 14" x 2" with metal band | | 3470 |
| HI-TECK H2000C | 1.875" x 14" x 2" with metal band | | 3470 |
| HIGH SIERRA (See SIERRA MFG) | | | |
| HIGH VALLEY 1500, 2000 X-Tec , 2000 Craft, 2500 Bay | 2.875" x 6.875" x 2" | 2 Required | 3472 |
| HORSTMANN 8324 Royal Li'l Roy | 5.66" round x 2" with gasket 5.66" round x 3" with metal band | 2 Required | 3410 3420 |
| HUTCH MFG. DWI42C, HRD18C,HRS18C,HRD27C | 1.875" x 6.875" x 2" with metal band | 3 Required | 3402 |
| JOTUL USA #8, #8TDC, and Series 8 #3, #3TD and Series 3 #3C, #3TDIC, #8C Alpha Model Firelight Model #12 | 3.875" x 6.875" x 2" with metal band 3.875" x 6.875" x 2" with metal band 5.66" round x 2" with metal band 3.875" x 6.875" x 2" with metal band 3.875" x 6.875" x 2" with metal band | | 3454 3454 3408 3454 3454 |



CATALYTIC COMBUSTOR CROSS REFERENCE

| Manufacturer & Model | Size of Catalyst (Each) | Order 1 Unit Unless Noted | Item # |
|---|--------------------------------------|---------------------------|--------|
| KING (MARTIN IND.) | | | |
| CWK, KW Insert, K13, K32 / K31C | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| KHS2 | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| KTC Circulator | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| MCF2 Insert | 1.875" x 6.875" x 2" with metal band | 3 Required | 3402 |
| KINGSMAN | | | |
| 1414 Model | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| KUMA (See MARK'S CUSTOM) | | | |
| LANCASTER FAB | | | |
| C-2024 Golden Eagle | 5.66" round x 2" with metal band | | 3408 |
| LEADERS | | | |
| 3200C | 5.66" round x 3" with gasket | | 3416 |
| LENNOX | | | |
| Villa Vista | 2.625" x 15" x 3" | | 3412 |
| LILLY STOVES | | | |
| All Models | 7" round x 2" with metal band | | 3436 |
| LONG MFG. | | | |
| 2058A Silent Flame | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| 2062 | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| MAHONING MFG. | | | |
| All | 6" x 10.625" x 2" with metal band | | 3458 |
| MARK'S CUSTOM (KUMA) | | | |
| Kuma K300,K400,K-100B | 2.5" x 7.5" x 3" | 2 Required | 3492 |
| MARTIN (KING MODELS) | | | |
| CWK, KW Insert, K32 / K31C | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| KHS2, KTC Circulator | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| MCF2 Insert | 1.875" x 6.875" x 2" with metal band | 3 Required | 3402 |
| MARTIN (ASHLEY, ATLANTA, WARM MORNING) | | | |
| 2402, 8803, ASH1, ASH1B, ATHS, BTHS | 1.875" x 6.875" x 2" with metal band | | 3402 |
| AHS2,AHS2B,Sahara Models | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| CAHF2B, CAW, CC 60,CKW | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| CAH F2 Model | 1.875" x 6.875" x 2" with metal band | 3 Required | 3402 |
| MONARCH STOVE | | | |
| VH405X | 5.66" round x 3" with gasket | | 3416 |
| NATIONAL STEEL CRAFTERS (See CRAFT STOVES) | | | |
| NU-TEC | | | |
| AM40 / Amity | 1.875" x 7" x 3" | 2 Required | 3478 |
| OAK RIDGE (WEBSTER) | | | |
| All Models | 5.66" round x 2" with metal band | | 3408 |
| OK DOKE LTD. | | | |
| Sweetheart/ 800/ 800 XL | 1.875" x 14" x 2" with metal band | | 3470 |
| OLIX AIR-FLO | | | |
| All Models | 5.66" round x 3" with metal band | | 3420 |
| OREGON WOODSTOVE | | | |
| #1 Design and Model OS/1 | 1.875" x 6" x 3" | 3 Required | 3426 |
| ORLEY MFG. | | | |
| All Models | 2.5" x 7.5" x 3" | 3 Required | 3492 |
| ORRVILLE (COUNTRY COMFORT) | | | |
| 250CC Model | 5.66" round x 3" with gasket | | 3416 |
| 325CC Model | 3.875" x 6.875" x 3" with metal band | | 3494 |
| 350CC Before 7/1/90 | 3.875" x 6.875" x 2" with metal band | | 3454 |
| 350CC After 7/1/90 | 3.875" x 6.875" x 3" with metal band | | 3494 |



CATALYTIC COMBUSTOR CROSS REFERENCE

| Manufacturer & Model | Size of Catalyst (Each) | Order 1 Unit Unless Noted | Item # |
|--|---|------------------------------|--------------|
| PANDA STOVE All Models | 5.66" round x 2" with metal band | | 3408 |
| REGES METAL All Models | 1.875" x 6.875" x 2" with metal band | 2 Required | 3402 |
| RITEWAY Unicorn Retrofit | 5.66" round x 3" with metal band | | 3420 |
| ROYAL SCOT All | 5.66" round x 2" with metal band | | 3408 |
| RSF ENERGY 2000 Opel | 3.625" x 12" x 2" with metal band and tab | | 3476 |
| F75R, F65R, F85R Furnace | 3.5" x 4" x 3" | 2 Required | 3462 |
| F101 | 3.5" x 4" x 3" | 3 Required | 3462 |
| G225 | 2.5" x 15" x 3" with gasket | | 3434 |
| RUPP #2 Stove | 5.66" round x 2" with metal band | | 3408 |
| RUSSO The Following Units Require 3 Catalysts Total. 2 Different Catalysts As Follows, GV30 or GV30C | 1.875" x 6.875" x 2" 1.875" x 3.25" x 2" | 2 Required AND 1 Required | 3400 3498 |
| 1WCF | 5.66" round x 3" | | 3418 |
| 2WCF | 5.66" round x 3" | | 3418 |
| 3GVC | 5.66" round x 3" | | 3418 |
| CW-75 | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| GV-21 | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| GV30S | 2.875" x 6.875" x 2" | 2 Required | 3472 |
| GVC | 2.875" x 6.875" x 2" | 2 Required | 3472 |
| W-18C | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| W-120 | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| W-1125 | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| W-130 | 1.875" x 6.875" x 2" | 2 Required | 3400 |
| SALVO (See CITATION) | | | |
| SCANDIA (FRANKLIN CAST) 2000 | 5.66" round x 2" with metal band | | 3408 |
| 310 & 310C | 5.66" round x 3" with gasket | | 3416 |
| Concorde | 5.66" round x 3" | | 3418 |
| SEARS All | 5.66" round x 2" with metal band | | 3408 |
| SECURITY CHIMNEY BIS Panorama | 2.625" x 15" x 3" | | 3412 |
| SENECA All | 5.66" round x 2" with metal band | | 3408 |
| SHENANDOAH CAF-77 Model | 3.875" x 6.875" x 2" with metal band | | 3454 |
| CFH Model | 3.875" x 6.875" x 2" with metal band | | 3454 |
| CH-75 Model | 3.875" x 6.875" x 2" with metal band | | 3454 |
| CH77 Model (continued) | 5.66" round x 2" with metal band | | 3408 |
| SHENANDOAH (continued) CH84 Model | 3.875" x 6.875" x 2" with metal band | | 3454 |
| CH85 Model | 3.875" x 6.875" x 2" with metal band | | 3454 |
| R-60 | 5.66" round x 2" with metal band | | 3408 |
| R-65 | 5.66" round x 2" with metal band | | 3408 |
| SIERRA MFG (HIGH SIERRA) All Models (Pre 1989) | 5.66" round x 2" with metal band | | 3408 |
| AK-18 FIR Sweet Home | 5.66" round x 2" with metal band | | 3408 |
| 4700 Ambassador | 2" x 7" x 2" | 3 Required | 3496 |
| 4700 TE Model (continued next page) | 3.5" x 6" x 2" with metal band | | 3512 |



CATALYTIC COMBUSTOR CROSS REFERENCE

| Manufacturer & Model | Size of Catalyst (Each) | Order 1 Unit Unless Noted | Item # |
|---|---|---------------------------|--------|
| SIERRA MFG (HIGH SIERRA) -continued | | | |
| 7000C/CAT Models | 5.66" round x 2" with metal band | | 3408 |
| 8000T/TE/C Models (option 1) | 3.5" x 5" x 2" | 2 Required | 3480 |
| 8000T/TE/C Models (option 2) | 3.5" x 6" x 2" with metal band | 2 Required | 3512 |
| SOTZ | | | |
| All | 5.66" round x 1.5" with metal band | | 3504 |
| SQUIRE/COX | | | |
| 5500 | 5.66" round x 1.5" with metal band | | 3504 |
| SUBURBAN | | | |
| Woodmaster W6-88WC | 5.66" round x 3" with metal band | | 3420 |
| Woodchief W6-88C | 5.66" round x 3" with metal band | | 3420 |
| SWEET HOME | | | |
| AKI (Pre 1989) | 5.66" round x 2" with metal band | | 3408 |
| TIMBEREZE | | | |
| Catalytic Model | 5.66" round x 2" with metal band | | 3500 |
| TIMBERLINE | | | |
| All | 5.66" round x 2" with metal band | | 3408 |
| TRAVIS INDUSTRY | | | |
| Early Lopi | 5.66" round x 2" with metal band | | 3408 |
| Lopi | 2.54" x 13" x 2" with metal band | | 3422 |
| US STOVE | | | |
| 1006 | 2.5" x 15" x 3" with metal band | | 3432 |
| 1007 | 5.66" round x 1.5" | | 3502 |
| 1008, 4500 Insert | 1.875" x 14" x 2" with metal band | | 3470 |
| Wonderwood Series (2821 , 2921, 6021, 2941, 6000) | 5.66" round x 2" with metal band | | 3408 |
| VANSCO (See HARMAN) | | | |
| VERMONT CASTINGS | | | |
| 1280 Winter Warm | 2.54" x 13" x 2" with metal band | | 3422 |
| 2100 / 2140 / 2170 / 2190 / Defiant Encore | 2.54" x 13" x 2" with metal band | | 3422 |
| 1308 Intrepid / Intrepid II | 2.54" x 6.5" x 2" with metal band | | 3424 |
| 0041 Resolute Acclaim | 2.54" x 13" x 2" with metal band | | 3422 |
| Consolidated Dutchwest | 5.66" round x 2" with metal band | | 3408 |
| Seneca | 5.66" round x 2" with metal band | | 3408 |
| Sequoia Models Before 1990 | 7" round x 2" with metal band | | 3436 |
| Sequoia Models 1990 & After | 5.66" round x 2" with metal band | | 3408 |
| VESTAL | | | |
| All Models | 1.875" x 6.875" x 2" with metal band | 3 Required | 3402 |
| WESCO INDUSTRIES | | | |
| Marquis 800/800XL | 1.875" x 14" x 2" with metal band | | 3470 |
| Magnum Designer, 900 Models | 2.5" x 15" x 3" with metal band | | 3432 |
| WEBSTER (See OAK RIDGE) | | | |
| WET IND. | | | |
| C-110 Heatpro | 3.625" x 9" x 2" with metal band and tab | | 3484 |
| C-210 Heatpro | 3.625" x 12" x 2" with metal band and tab | | 3486 |
| WOODCHUCK | | | |
| 2900, 4000 | 7" round x 2" with metal band | | 3436 |
| WOODSTOCK SOAPSTONE | | | |
| 201 Fireview | 3.5" x 4" x 2" | 2 Required | 3460 |
| 205 Fireview | 4.625" x 4.625" x 2" | 2 Required | 3516 |
| 200 Classic | 3.5" x 4" x 2" | 2 Required | 3460 |
| 202 Palladian | 3.625" x 4.625" x 2" | 2 Required | 3464 |
| 204 Keystone | 3.625" x 4.625" x 2" | 2 Required | 3464 |
| Older Models | 5.66" round x 2" with metal band | | 3500 |
| XTEC | | | |
| X-TEC 2000 | 2.875" x 6.875" x 2" | 2 Required | 3472 |

